	1 and ("toga" or "FPGA" or "field programmable")	49	5
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	1 and ("fpga" or "FPGA" or "field programmable")	49	2
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	emulat\$7 and "1284"	282	7
Databases	Hits Search String	Hits	F
			•
4/14/05	EAST SEARCH		

Results of search set L4:

US 20050044574 A1 Audio/visual server	Audio/visual server	20050224	725/91
US 20050035105 A1	Apparatus, system and method to facilitate reconfigurable welding power supply 2005021. Method of and apparatus for realizing synthetic knowledge processes in devices	20050217	219/130.5
US 20050005266 A1	for useful applications	20050106	717/136
US 20050001720 A1	Emergency response personnel automated accountability system	20050106	340/539.13
US 20040249625 A1	Multi-mode smart card emulator and related methods	20041209	703/27
US 20040183776 A1	Computer based browsing computer program product, system and method	20040923	345/156
US 20040141649 A1	Ink recognition for use in character-based applications	20040722	382/189
US 20040090424 A1	Integrated information presentation system with enviromental controls	20040513	345/169
	Apparatus for testing a device under test using a high speed bus and method		
US 20040059973 A1	therefor	20040325	714/724
US 20040054689 A1	Transcoding media system	20040318	707/104.1
US 20040049797 A1	Network interface to a video device	20040311	725/132
	Transponder interrogators, radio frequency identification device communication		
	systems, transponder interrogator communication methods, and radio frequency		
US 20040049718 A1	identification device communication methods	20040311	714/700
US 20040049624 A1	Network to computer internal interface	20040311	710/306
US 20040044875 A1	Interface for rapid prototyping system	20040304	712/1
US 20040024580 A1	Server in a media system	20040205	703/27
US 20040000701 A1	Stand-alone organic-based passive devices	20040101	257/664
US 20030233567 A1	Method and system for actively defending a wireless LAN against attacks	20031218	713/200
US 20030233221 A1	JTAG server and sequence accelerator for multicore applications	20031218	703/23
US 20030225955 A1	Data modem	20031204	710/306
			•

US 20030061409 A1 US 20030055771 A1	US 20030117971 A1 US 20030103199 A1 US 20030086699 A1 US 20030066057 A1	US 20030120460 A1 US 20030118081 A1	US 20030121010 A1 US 20030120872 A1	US 20030144828 AT		US 20030187662 A1 US 20030185023 A1	US 20030217123 A1 US 20030200070 A1 US 20030198242 A1 US 20030197855 A1 US 20030191878 A1 US 20030191623 A1	US 20030225568 A1 US 20030225566 A1 US 20030225564 A1 US 20030225781 A1
fulfillment for configuring a remotely located device System, method and article of manufacture for a reverse-auction-based system for hardware development	model using calls to profiling functions Apparatus and method for measuring optical characteristics of an object Interface for audio visual device System, method and article of manufacture for collaborative hardware design System method and article of manufacture for dynamic automated product	profiling Programmable modem apparatus for transmitting and receiving digital data, design method and use method for the modem	performance of a codesign from an executable specification System, method, and article of manufacture for dynamically profiling memory transfers in a program System, method, and article of manufacture for enhanced hardware model.		System, method and article of manufacture for a user interface for an MP3 audio player Rapid input/output probing apparatus and input/output probing method using the same, and mixed emulation/simulation method based on it Hub array system and method	System, method, and article of manufacture for a reconfigurable hardware-based audio decoder lontophoretic power supply	System and method for accessing and operating personal computers remotely Simulation of uncharacterized hardware Method for connecting a hardware emulator to a network Apparatus and method for measuring optical characteristics of teeth KVM switch including a terminal emulator Computer system capable of executing a remote operating system	Emulator-enabled network connectivity to a device JTAG server Apparatus and method for connecting a hardware emulator to a computer peripheral Communication architecture utilizing emulator interface
20030327 20030320	20030626 20030605 20030508 20030403	20030626 20030626	20030626 20030626	20030/31	20031002 20030925 20030731	20031002 20031002	20031120 20031023 20031023 20031023 20031029 20031009	20031204 20031204 20031204 2003127
710/8 705/37	370/321 356/73 386/96 717/140	702/182 375/130	716/4 711/141	717/158	715/810 716/4 703/21	704/500 363/31	709/219 703/14 370/428 356/73 710/100 703/24	703/27 703/24 703/23 703/25

US 20030001896 A1 US 20020186697 A1 US 20020180968 A1 US 20020180953 A1 US 20020157041 A1 US 20020156886 A1	20030004674 20030004673 20030004672	US 20030011768 A1 US 20030005155 A1 US 20030005154 A1 US 20030005153 A1 US 20030004675 A1		US 20030036873 A1 US 20030036871 A1 US 20030033234 A1 US 20030033234 A1 US 20030030673 A1	US 20030036876 A1 US 20030036875 A1 US 20030036874 A1	US 20030055770 A1 US 20030055769 A1 US 20030055658 A1
measurement applications Protocol encoder and decoder Spectrometric apparatus and method for measuring optical characteristics of an object Apparatus and method for measuring optical characteristics of an object Protocol parser-code generator Protocol monitor	configuring		o'	ng software ware uration service	configuration information generated based on a user specification. Network-based system for configuring a programmable hardware element in a measurement system using hardware configuration programs generated based on a user specification. Network-based system for configuring a measurement system using configuration information generated based on a user specification.	System, method and article of manufacture for an auction-based system for hardware development System, method and article of manufacture for a library-based hardware configuration service System, method and article of manufacture for dynamic, automated fulfillment of System, method and article of manufacture for dynamic, automated fulfillment of an order for a hardware product Network-based system for configuring a measurement system using
20030102 20021212 20021205 20021205 20021205 20021024 20021024	20030102 20030102 20030102 20030102	20030116 20030102 20030102 20030102 20030102	20030206 20030206 20030206 20030123 20030123	20030220 20030220 20030220 20030213 20030213	20030220 20030220 20030220	20030320 20030320 20030320
715/771 370/401 356/328 356/73 714/43 709/224	702/123 702/123 702/123 702/123	356/326 709/239 709/239 709/239 709/23	716/12 705/8 702/123 356/419	702/123 702/119 705/37 715/779	702/127 702/127 702/123	705/37 705/37 705/1

US 6842865 B2 US 6839792 B2	US 6870616 B2	US 20010018753 A1 US 6873928 B2	US 20010035914 A1 US 20010035913 A1 US 20010030748 A1		US 20020024653 AT US 20020003620 A1 US 20010043330 A1	20020062461 20020050518	US 20020067757 A1	US 20020072893 A1 US 20020072892 A1	US 20020105967 A1 US 20020101824 A1 US 20020097742 A1 US 20020097739 A1 US 20020097400 A1	US 20020156885 A1 US 20020152060 A1 US 20020140717 A1 US 20020126091 A1 US 20020116168 A1 US 20020108484 A1
Method and system for testing microprocessor based boards in a manufacturing environment Data modem	Spectrometer apparatus for determining an optical characteristic of an object or material having one or more sensors for determining a physical position or noncolor property	_		Apparatus and method for measuring optical characteristics of an object Apparatus and method for measuring optical characteristics of an object Television interface for handheld calculator for use with multiple calculator	Apparatus and method for measuring optical characteristics of teeth SPECTROMETER ASSEMBLY	ND METHOD FOR MEASURING OPTICAL CHARACTERISTICS	Programmable modem apparatus for transmitting and receiving digital data, design method and use method for the modem Method and system for testing microprocessor based boards in a manufacturing	System, method and article of manufacture for using a microprocessor emulation in a hardware application with non time-critical functions KVM switch including a terminal emulator	rk rk ct	Protocol emulator Inter-chip communication system Computer based browsing computer program product, system and method Power management for interface devices applying forces METHOD AND SYSTEM FOR DESIGN VERIFICATION OF ELECTRONIC CIRCUITS Electronic music instrument system with musical keyboard
20050111 20050104	20050322	20010830 20050329	20011101 20011101 20011018	20011108 20011108	20020228 20020110 20011122	20020523 20020502	20020606	20020613 20020613	20020808 20020801 20020725 20020725 20020725	20021024 20021017 20021003 20020912 20020822 20020815
714/28 710/306	356/326	714/731 702/127	348/552 348/552 356/419	356/419 356/328	356/73 356/73 356/419	714/28 235/454	375/130	703/26 703/25	370/465 370/241 370/463 370/432 356/419	709/224 703/17 715/701 345/161 703/28 84/615

US 6519037 B2 US 6516053 B1 US 6501542 B2 US 6449041 B1 US 6421754 B1 US 6421751 B1 US 64217917 B1	US 6618829 B2 US 6609173 B1 US 6597727 B2 US 6590660 B2 US 6584586 B1 US 6583866 B2 US 6573984 B2 US 6571370 B2 US 6567869 B2 US 6538726 B2	US 6661465 B2 US 6651225 B1 US 6633905 B1	US 6815640 B1 US 6815640 B1 US 6810442 B1 US 6785873 B1 US 6772212 B1 US 6762775 B2 US 6754763 B2 US 6754763 B2 US 6751489 B1 US 6668312 B2	ביי היייייייייייייייייייייייייייייייייי
Spectrometer having optical unit including a randomized fiber optic implement System and method for testing telecommunication service installations Apparatus and method for measuring optical characteristics of an object Apparatus and method for measuring optical characteristics of an object System management mode circuits, systems and methods Array board interconnect system and method Apparatus and method for measuring optical characteristics of an object	Communication system, a synchronization circuit, a method of communicating a data signal, and methods of synchronizing with a data signal Compact disc emulation in a flash Programmable modem apparatus for transmitting and receiving digital data, design method and use method for the modem Apparatus and method for measuring optical characteristics of an object Apparatus and method for capturing and transferring internal system activity Spectrometric apparatus and method for measuring optical characteristics of an object Apparatus and method for measuring optical characteristics of teeth Method and system for design verification of electronic circuits KVM switch including a terminal emulator Apparatus and method for measuring optical characteristics of an object	Television interface for handheld calculator for use with multiple calculator display formats Dynamic evaluation logic system and method System and method for accessing and operating personal computers remotely	Apparatus, system and method to facilitate reconfigurable welding power supply Memory mapping system and method Emulation system with multiple asynchronous clocks Audio/Visual server Computer based browsing computer program product, system and method Multi-board connection system for use in electronic design automation Television interface for handheld calculator for enhanced television display Play list manager System, method, and article of manufacture for dynamically profiling memory transfers in a program	
20030211 20030204 20021231 20020910 20020716 20020716 20020709	20030909 20030819 20030722 20030708 20030624 20030624 20030603 20030527 20030527 20030520 20030325	20031209 20031118 20031014	20041123 20041109 20041026 20040831 20040803 20040713 20040622 20040622 20040623 20040413	
356/419 379/21 356/73 356/326 710/261 361/788 356/73	714/731 711/103 375/147 356/419 714/45 356/73 356/73 716/4 710/62 356/73	348/552 716/4 709/219	219/130.5 710/22 716/4 709/228 715/776 710/317 348/552 386/46 711/170	7

US 5835733 A deskto		5842005 A	5842031 A	US 5845132 A methods	US 5848253 A and I/C	•	US 5852370 A voltage	integra	5861761 A	US 5864702 A methods	US 5867714 A to a co	Systen	US 5867717 A Dynam	US 5870617 A rails or	Systen		➤	US 5872810 A design	Progra	US 5872983 A article	US 5875312 A compu		Structi	US 5878241 A Partition	US 5907487 A Force	US 5908997 A Electro	US 5917905 A Teleph	US 5929607 A Low co	US 5943507 A. Interru	US 5963746 A Fully d	5966528 A	US 5968188 A Syster
desktop computer system Function unit for fine-gained FPGA	Method and apparatus for implementing a single DMA controller to perform DMA operations for devices on multiple buses in docking stations, notebook and	ds de la companya de	d parallel array processor (APAP)	r system power management interconnection circuitry, system and		Computer system and an electronic circuit utilizing a single DMA controller and additional communication circuit to manage DMA transfers between memory		na between different-	ically connectable configurable cellular array	er system power management interconnection circuitry, systems and		ซ	Dynamic system clocking and address decode circuits, methods and systems		tage		rinted circuit boards therefor		Programmable modem apparatus for transmitting and receiving digital data,	Power management interface system for use with an electronic wiring board article of manufacture		devices utilizing a single DMA controller within a notebook and docking station	and I/O	MD/MIMD array processor			Si .	t power sourcing	is .		essing	System for providing real-time code coverage
19981110 19981103		19981124	19981124	19981201	19981208		19981222		19990119	19990126	19990202		19990202	19990209		19990209	19990209	19990216		19990216	19990223			19990302	19990525	19990601	19990629	19990727	19990824	19991005	19991012	19991019
710/303 326/41		713/500	712/23	710/260	710/308		326/81		326/41	713/320	717/172		713/323	713/324		712/20	712/32	375/222		713/300	710/303			712/203	700/85	84/615	379/356.01	320/166	710/48	712/20	712/222	714/29

US 5717944 A Autonomous SIMD/MIMD processor memory elements US 5717943 A Advanced parallel array processor (APAP) US 5713037 A Slide bus communication functions for SIMD/MIMD array processor US 5713006 A US 5713006 A US 5713006 A US 5710935 A Clock control circuits, systems and methods US 5710911 A US 5708836 A US 5706445 A SIMD/MIMD inter-processor (APAP) US 5708836 A US 5706445 A System management mode circuits, systems and methods US 5706445 A System management mode circuits, systems and methods US 5691898 A US 5691898 A US 5691897 A US 5670897 A US 5670897 A US 5670897 A US 5666497 A Adapter for interfacing a SCSI bus with an IBM system/360/370 I/O interface IS 5640541 A Channel and information system including same
--